


**PERSPECTIVES FROM THE WEARABLE ELECTRONICS AND APPLICATIONS RESEARCH (WEAR) LAB, NASA
JOHNSON SPACE CENTER**

Haifa R. Moses, MS
Habitability and Human Factors Branch,
Houston, TX

As NASA moves beyond exploring low earth orbit and into deep space exploration, increased communication delays between astronauts and earth drive a need for crew to become more autonomous (earth-independent). Currently crew on board the International Space Station (ISS) have limited insight into specific vehicle system performance because of the dependency on monitoring and real-time communication with Mission Control. Wearable technology provides a method to bridge the gap between the human (astronaut) and the system (spacecraft) by providing mutual monitoring between the two. For example, vehicle or environmental information can be delivered to astronauts through on-body devices and in return wearables provide data to the spacecraft regarding crew health, location, etc.

The Wearable Electronics and Applications Research (WEAR) Lab at the NASA Johnson Space Center utilizes a collaborative approach between engineering and human factors to investigate the use of wearables for spaceflight. Zero and partial gravity environments present unique challenges to wearables that require collaborative, user-centered, and iterative approaches to the problems. Examples of the WEAR Lab's recent wearable projects for spaceflight will be discussed.



Perspectives From The Wearable Electronics and Applications Research (WEAR) Lab

Haifa Moses


WEAR Lab Human Factors Lead
Habitability & Human Factors Branch
NASA Johnson Space Center



New Challenges of Human Space Exploration


HUMAN EXPLORATION

NASA's Journey to Mars



EARTH RELIANT

MISSION: 6 TO 12 MONTHS
RETURN TO EARTH: HOURS




Mastering fundamentals aboard the International Space Station

U.S. companies provide access to low-Earth orbit

PROVING GROUND

MISSION: 1 TO 12 MONTHS
RETURN TO EARTH: DAYS




Expanding capabilities by visiting an asteroid redirected to a lunar distant retrograde orbit

The next step: traveling beyond low-Earth orbit with the Space Launch System rocket and Orion spacecraft

EARTH INDEPENDENT

MISSION: 2 TO 3 YEARS
RETURN TO EARTH: MONTHS



Developing planetary independence by exploring Mars, its moons and other deep space destinations



Wearables & NASA



- Increased crew autonomy during long-duration (earth-independent) missions requires more vehicle insight for the crew
- Wearables provide a method to bridge the gap between the human (crew) and the system (spacecraft) by providing mutual monitoring between the two
- The Wearable Electronics and Applications Research (WEAR) Lab at the NASA Johnson Space Center is a collaboration between engineers and human factors to investigate the use of wearables for spaceflight




Environmental Monitoring Gap

- Numerous commercial (COTS) wearable devices meet NASA's need for human and environmental monitoring
- In zero gravity environments gasses behave differently than on Earth
 - Lack of natural convection limits air circulation and mixing potentially leading to "pockets" of hazardous gasses
- COTS wearables target gasses that pose hazards on earth (ex. carbon monoxide) leaving a monitoring gap for gasses whose hazards are mitigated with the help of gravity (ex. carbon dioxide)



Carbon Dioxide (CO₂) in Space

- Exposure to elevated CO₂ levels causes health problems
 - Increased blood pressure, dizziness, vision impairment, decreased decision-making capabilities, headaches, etc.
- Monitoring CO₂ in spacecraft is difficult
 - CO₂ readings from fixed sensors may not be representative of locations near the crew
 - Group activities (e.g. meals, public events) are of particular concern because of potential creations of “CO₂ Pockets”




Son, C., Zapata, J., and Lin, C., "Investigation of Airflow and Accumulation of Carbon Dioxide in the Service Module Crew Quarters," SAE Technical Paper 2002-01-2341, 2002, <https://doi.org/10.4271/2002-01-2341>.



Personal CO2 Monitor

- The WEAR Lab developed the Personal CO2 Monitor (PCO2M) to evaluate wearability principles in space and address the CO₂ monitoring need for the International Space Station (ISS)





Personal CO2 Monitor

- The WEAR Lab developed the Personal CO2 Monitor (PCO2M) to evaluate wearability principles in space and address the CO₂ monitoring need for the International Space Station (ISS)





PCO2M System




Personal CO2 Monitors



- Monitors CO₂, relative humidity, and temp
- Clips onto crew clothing
- Simple LED status indicators
- Charges via USB
- Stores data internally, if no active Bluetooth connection is available

iPad app



- Downloads data from PCO2M via Bluetooth Low Energy
- Displays data real-time
- Aggregates & transfers data to ground server



Challenges & Lessons Learned

- No gravity - Things don't stay put
 - Affected attachment locations & methods as well as operations
- Conflicting priorities
 - Wearability & usability
vs.
Operations & science





Haifa Moses

WEAR Lab Human Factors Lead

Habitability & Human Factors Branch

NASA Johnson Space Center, Houston, TX

haifa.r.moses@nasa.gov